

PUBLIC WORKS DEPARTMENT
Jim Teutsch, Director of Public Works
Daniel Stack, P.E., City Engineer
Jim Kowach, P.E., Operations Manager

300 West Ash · P.O. Box 736
 Salina, Kansas 67402-0736



TELEPHONE · (785) 309-5725
 FAX · (785) 309-5713
 TDD · (785) 309-5747
 E-MAIL: jim.teutsch@salina.org
dan.stack@salina.org
jim.kowach@salina.org
 WEBSITE · www.salina-ks.gov

Utility Right-of-Way Pavement Repair Specifications

	Sidewalk	Driveway incl. Sidewalk (6" Min.)	Driveway Gutter	Core Holes		Patch	
				Standard Gutter (5' Min.)	Street	Standard Gutter (5' Min.)	Street
Licensed Contractor	Y	Y	Y	Y	Y	Y	Y
Saw Cut	Y (Panel)	Y	N	Y	Y	Y	Y
Compaction	Y	Y	Y	Y	Y	Y	Y
Flowfill or Sand	Y	Y	Y	Y	Y	Y	Y
				<i>(Flowfill Only)</i>			
Pinned	N	Y	Y	Y	Y	Y	Y
Mesh	N	Y	N	N	Y	Y	Y
Quickcrete High Early (5,000 PSI)	N	N	N	N	Y	Y	Y
Finished	Y	Y	Y	Y	Y	Y	Y
Homeowner Exception	N	No, for Sidewalk Yes, for Driveway	N	N	N	N	N
*1/2 Panel (5' minimum)							
*Pinned 1 every 2'							
Small Repair Flowfill Alternative	Y	Y	Y	Y	Y	Y	Y
3' x 3' Minimum (<2' remains, go to joints)	N	N	N	N	Y	N	Y